RICHLAND ELECTRIC COOPERATIVE

Tree Work Request

I request Richland Electric Cooperative to perform the tree work indicated below.

I also understand that Richland Electric Cooperative performs work only on those trees or limbs that may endanger cooperative-owned power lines or equipment. Richland Electric Cooperative evaluates each tree work request, in person, to determine when or if a crew should be dispatched to this location. The tree work that you have requested may or may not be performed. Richland Electric Cooperative's primary business is providing reliable electric service, not removing trees that are not interfering with that service. Richland Electric Cooperative may choose to drop the line so your tree contractor can perform the work safely.

Please detail the requested work below:			
Remove or Trim (circle one) In	dicate how the trees are marked Identify location		
By signing helow Lunderstand t	nat all debris resulting from tree or limb removal is my responsi	hility for	
	lectric Cooperative will not be responsible for any property dar	•	
Name:	Signature:		
Address:	Date:		
	Phone:		
	Safety First		
but may present an electrical ha cases REC will evaluate the cond power lines down or other optio option for the cooperative. Safe	es that do not threaten cooperative-owned power lines or equitard should the owner try and remove the tree themselves. In stions and may assist the owner by de-energizing power lines, takens. REC reserves the right, in its sole discretion, to choose the body around electrical equipment is our largest concern. Even if we please let us assist you with the project if power lines could be	such aking pest	
contacted in any way!			
	Service Order #	‡ _	

FOR RICHLAND ELECTRIC COOPERATIVE USE ONLY

Service Map Location:	Service Order No:	
	Date:	
	SO Closed Date:	
ACTION TAKEN:		
☐Request Placed on "TO DO" LIST		
Any special conditions:		
☐Will arrange to drop the line		
☐ Can wait for routine maintenance cycle		
☐Request denied		
	o explain the status of the request:	
Sketch area below – if needed:		