



**Distributed Generation Interconnection Agreement (20 kW or less)  
Richland Electric Cooperative**

R6029 (10/23/06)

Richland Electric Cooperative  
PO Box 439  
1027 North Jefferson Street  
Richland Center, WI 53581

*This agreement must be completed by Applicant and submitted to Cooperative along with associated fees after installation but prior to scheduling commission testing and interconnection.*

**This Distributed Generation Interconnection Agreement (the "Agreement"), is made and entered into this \_\_\_\_\_ (day) of \_\_\_\_\_ (month), \_\_\_\_\_ (year) by and between Richland Electric Cooperative hereinafter called "Cooperative" and \_\_\_\_\_ hereinafter called the "Applicant." Cooperative and the Applicant are hereinafter collectively referred to as the "Parties" and individually as a "Party."**

**Recitals**

- A. Cooperative is the owner of the electric distribution system serving \_\_\_\_\_ [Insert legal description of property or address] ("Cooperative's Distribution System").
- B. Applicant desires to install a Distributed Generation (DG) facility or energy storage device with a capacity up to 20 kW, including related interconnection equipment (the "DG Facility") and to interconnect the DG Facility to the Cooperative's distribution system.
- C. Cooperative has previously reviewed and approved Applicant's DG Interconnection Application Form (R6027), dated \_\_\_\_\_, and supporting materials (the "Application"). The completed Application is attached as Exhibit 1 and incorporated into this Agreement.
- D. Applicant wishes to interconnect the DG Facility to Cooperative's distribution system and Cooperative is willing to permit such interconnection subject to the terms and conditions set forth in: (1) Wisconsin Administrative Code Chapter PSC 119; (2) the completed Application approved by Cooperative; (3) Richland Electric Cooperative policies, rules, regulations and bylaws; and (4) this Agreement.
- E. No agency or partnership is created with the interconnection of the applicants DG Facility.

**Agreement**

NOW THEREFORE, in consideration of the foregoing Recitals and for good and valuable consideration, the Cooperative and Applicant agree as follows:

**1. Design Requirements.**

The DG Facility shall be installed in compliance with Wisconsin Administrative Code Chapter PSC 119 and conform to all applicable electrical codes including the current requirements of Wisconsin Administrative Code SPS 316.

**2. Applicant's Representations and Warranties.**

Applicant represents and warrants that:

- a. The DG Facility is fully and accurately described in the Application;
- b. All information in the Application is true and correct;
- c. The DG Facility has been installed to Applicant's satisfaction;
- d. The DG Facility and associated wiring installed has been inspected and is in compliance with all applicable codes;
- e. Applicant has been given warranty information and an operation manual for the DG Facility; and Applicant has been adequately instructed in the operation and maintenance of the DG Facility.

### **3. Interconnection Disconnect Switch.**

The Cooperative may require that the Applicant furnish and install an interconnection disconnect switch that opens, with a visual break, all ungrounded poles of the interconnection circuit. The interconnection disconnect switch shall be rated for the voltage and fault current requirements of the DG Facility, and shall meet all applicable UL, ANSI, and IEEE standards, as well as applicable requirements of the Wisconsin Administrative Code Chapter SPS 316. The switch enclosure shall be properly grounded. The interconnection disconnect switch shall be accessible at all times, located for ease of access to Cooperative personnel, and shall be capable of being locked in the open position. The Applicant shall follow the Cooperative's recommended switching, clearance, tagging, and locking procedures.

### **4. Modifications to the DG Facility.**

Applicant shall notify Cooperative of plans for any material modification to the DG Facility by providing at least twenty (20) working days advance notice. A "material modification" is defined as any modification that changes the maximum electrical output of the DG Facility or changes the interconnection equipment (e.g., changing from certified to non-certified devices or replacement of any component with a component of different functionality or UL listing). The notification shall consist of a completed, revised Application and such supporting materials as may be reasonably requested by Cooperative. Applicant agrees not to commence installation of any material modification to the DG Facility until Cooperative has approved the revised Application. The Cooperative shall indicate its written approval or rejection of any revised Application within twenty (20) working days after it receives the completed application and all supporting materials.

### **5. Insurance.**

Throughout the term of this Agreement, Applicant shall carry a liability insurance policy that provides protection against claims for damages resulting from (i) bodily injury, including wrongful death; and (ii) property damage arising out of Applicant's ownership and/or operation of the DG Facility under this Agreement. The limits of such policy shall be at least \$300,000 per occurrence or prove financial responsibility by another method acceptable, and approved in writing, to Cooperative. The failure of the Applicant or Cooperative to enforce the minimum levels of insurance does not relieve the Applicant from maintaining such levels of insurance or relieve Applicant of any liability. Prior to execution of this Agreement applicant shall provide Cooperative with a certificate of insurance containing a minimum 30-day notice of cancellation.

### **6. Indemnification.**

Subject to the limitations set forth in this Section, and to the extent allowable by law, Applicant shall indemnify, hold harmless and defend Cooperative, its officers, directors, employees and agents from and against any and all claims, suits, liabilities, damages, costs and expenses (including without limitation, reasonable attorneys and expert witness fees) for damage to property, or injury to, or death of, any individual, including the employees, officers, directors and agents of Cooperative or any other third parties, arising out of or as a result of any act or failure to act, whether negligent or not, pursuant to this Agreement or Applicant's interconnection to the Cooperative's distribution system. Notwithstanding anything in this Section or in any other provision of this Agreement to the contrary, the liability of each Party to this Agreement shall be limited to direct actual damages, and all other damages at law or in equity are hereby waived. Under no circumstances shall a Party be liable to the other Party, whether in tort, contract or other basis in law or equity for any special, indirect, punitive, exemplary, or consequential damages, including lost profits. Applicant's indemnification obligations under this Section and the limits upon each Party's respective liability shall continue in full force and effect notwithstanding the expiration or termination of this Agreement with respect to any event or condition giving rise to an indemnification obligation that occurred prior to such expiration or termination.

#### **7. DG Facility Commissioning Testing.**

Applicant shall notify Cooperative in writing that installation of the DG Facility is complete and that the interconnection equipment is available for testing by Cooperative at least fifteen (15) working days before Applicant interconnects the DG Facility with Cooperative's Distribution System. Cooperative shall thereupon have the right to test the DG Facility. Cooperative shall also have the right to witness any testing by Applicant of the DG Facility. Any Cooperative testing of the DG Facility shall be completed within ten (10) working days. If Cooperative waives its right to test the installed DG Facility by notifying Applicant in accordance with this Section, Applicant may interconnect the DG Facility to Cooperative's Distribution System upon the earlier to occur of the following: (a) notification by Cooperative; or (b) fifteen (15) working days after Applicant has notified Cooperative that installation of the DG Facility is complete.

#### **8. Access to DG Facility.**

Applicant shall permit (and, if the land on which the DG Facility is located is not owned by Applicant, cause such land owner to permit) Cooperatives's employees and agents to enter the property on which the DG Facility is located at any reasonable time for the purposes of inspecting and/or testing Applicant's DG Facility to insure its continued safe and satisfactory operation and the accuracy of Cooperative's meters. Such inspections shall not relieve Applicant from its obligation to maintain the DG Facility and any related equipment owned by Applicant in safe and satisfactory operating condition.

Cooperative shall have the right to witness any testing by Applicant of the DG Facility.

#### **9. Disconnection of a DG Facility to Permit Maintenance and Repairs.**

Upon reasonable notice by Cooperative, Applicant shall disconnect the DG Facility to permit Cooperative to perform routine repairs and maintenance to Cooperative's Distribution System, or to install modifications thereto.

#### **10. Disconnection of a DG Facility without Notice.**

When Cooperative so requests, Applicant shall discontinue operation of the DG Facility and Cooperative may isolate the DG Facility from Cooperative's Distribution System, upon any of the following

- a. Termination of this Agreement;
- b. If, in Cooperative's reasonable judgment, the DG Facility fails to comply with the Design Requirements specified in Wisconsin Administration Code §§ PSC 119.20 and PSC 119.25.
- c. In the event of an emergency on Cooperatives's Distribution System; or
- d. Upon any other breach of this Agreement or breach of any other agreement between the Applicant and the Cooperative by Applicant (a "Default"), that Applicant fails to remedy within ten (10) working days after receipt of written notice from Cooperative.

In the event of such disconnection, pursuant to b, c, or d above, the DG Facility shall remain isolated from Cooperative's Distribution System until, in the reasonable judgment of Cooperative, the DG Facility meets the Design Requirements, Applicant has cured any Default, and Cooperative's Distribution System is functioning in a safe manner. If Applicant fails to cure a Default within sixty (60) working days, Cooperative shall further have the right to terminate this Agreement without liability to Applicant for such termination.

#### **11. Disputes; Right to Appeal to Cooperative Board of Directors.**

Nothing in this agreement prevents Applicant from filing a petition with the Cooperative's Board of Directors to appeal any requirement imposed by Cooperative as a condition to interconnection of DG Facility, that Applicant alleges is unreasonable.

**12. Amendments; Non-Waiver.**

Any amendment or modification to this Agreement must be in writing and executed by Applicant and Cooperative. The failure of Applicant or Cooperative to insist on performance by the other Party of any provision of this Agreement shall not waive the right of the Party who failed to insist on performance to enforce the same provision at a later time.

**13. Term of Agreement.**

This Agreement shall become effective immediately upon the execution, by the Parties, and shall continue in effect until terminated by any of the following:

- a. Mutual written agreement of the Parties;
- b. Abandonment or removal of the DG Facility by Applicant;
- c. By Cooperative pursuant to Section 10 of this Agreement;
- d. By Applicant upon thirty (30) working days prior written notice given to the Cooperative

**14. Successors and Assigns.**

- a. Assignment by Applicant. Applicant shall not assign its rights and obligations under this Agreement in whole or in part without the prior written consent of Cooperative, which consent shall not be unreasonably withheld or unduly delayed. Cooperative may withhold its consent to any proposed assignment if the proposed assignee fails to assume the obligations of Applicant under this Agreement in writing.
- b. Assignment by Cooperative. The Cooperative shall have the right to assign this Agreement in whole upon written notification to the Applicant.
- c. Successors. This Agreement shall be binding upon the personal representatives, heirs, successors, and permitted assigns of the respective Parties.

**15. Applicant and Cooperative Signature.**

**IN WITNESS WHEREOF, Applicant and Cooperative have executed this Agreement  
as of the year and date first set forth above.**

Applicant Signature \_\_\_\_\_

Title \_\_\_\_\_ Date \_\_\_\_\_

Cooperative \_\_\_\_\_

Title \_\_\_\_\_ Date \_\_\_\_\_